


483 mm (19") Jack Panels

3-Prong Connectors with Anodized Panels

Rugged 3.2 mm (1/8") Thick Panels

19TJP Series
Starts at
\$75



483 mm (19") Plain Panel Jacks

No. of Rows	Panel Height	Max No. of Jacks
1	89 mm (3½")	22
2	133 mm (5¼")	44
3	222 mm (8¾")	66
4	267 mm (10½")	88

483 mm (19") Panel Jacks with Switch Cutout

No. of Rows	Panel Height	Switch Size	Max No. of Jacks
1	127 mm (7")	76 mm (5")	15
2	127 mm (7")	76 mm (5")	30
3	222 mm (8¾")	76 mm (5")	45
4	267 mm (10½")	76 mm (5")	60

Note: When a switch is ordered with a panel, installation is included at no extra cost.

SW142 Series, \$125, see page G-73

MOST POPULAR MODELS HIGHLIGHTED!

Model No. ANSI Color Code	Price	Total No. of Jacks	Switch Cutout	Meter Cutout
19TJP1-10-(*)	\$75	10	—	—
19TJP1-20-(*)	106	20	—	—
19TJP2-20-(*)	116	20	—	—
19TJP2-30-(*)	150	30	—	—
19TJP2-40-(*)	188	40	—	—
19TJP1-10-(*)-OSW	85	10	76 mm (5")	—
19TJP2-20-(*)-OSW	121	20	76 mm (5")	—
19TJP3-30-(*)-OSW	160	30	76 mm (5")	—
19TJP4-40-(*)-OSW	203	40	76 mm (5")	—
19TJP1-10-(*)-OSW-MTR	90	10	76 mm (5")	y
19TJP2-20-(*)-OSW-MTR	126	20	76 mm (5")	y
19TJP3-30-(*)-OSW-MTR	165	30	76 mm (5")	y
19TJP4-40-(*)-OSW-MTR	238	40	76 mm (5")	y

*Insert J, K, T, E, N, or U thermocouple calibration.

Ordering Example: 19TJP4-40-K-OSW, 483 mm (19") long panel with 40 Type K 3-prong female jack panel connectors organized in 4 rows and cut out for an OMEGA® selector switch, \$203.

Panels with switches and/or meters do not come supplied wired. Wiring charge is \$5 per circuit. Consult factory for details.

483 mm (19") Jack Panels with Switch and Meter Cutouts

No. of Rows	Panel Height	Switch Size	Max. No. of Jacks
1	127 mm (7")	76 mm (5")	10
2	127 mm (7")	76 mm (5")	20
3	222 mm (8¾")	76 mm (5")	30
4	267 mm (10½")	76 mm (5")	40

Note: A 45 x 92 mm (1 7/8" DIN) meter cutout is supplied unless otherwise specified.

Consult Sales Department for information on custom, color-coded anodized panels.