NEMA 4 CONSOLETS/ OPERATOR INTERFACE PANELS
WITH SLOPED TOP

SCE-ELJ CONSOLETS

MADE IN USA · 1 YEAR WARRANTY · UL · CSA

SCE-8C16ELJ, consolet with 8 x 16" sloped top cover, 7.09 H x 7.44" depth.

- **0.063" Carbon Steel**
- **Seams Continuously Welded and Ground Smooth**
- **Flange Trough Collar Around all Sides of Door Opening**
- **Oil-Resistant Gasket**
- **Standoffs Provided for Mounting Optional Sub-Panels**
- **Polyamide Hinges–Easily Removed for Machining**
- **Door Opens 180°**
- **Provisions for Cable Door Stops on SCE-12C, SCE16C and SCE-20C Models**
- **Black Mini Quarter Turn Latches**
- **Latches are Opened or Closed with a Screwdriver**
- **Sealing Washers and Hole Plugs Included**
- **Ground Stud on Door and Body**
- **Mounting Holes in Bottom**

Designed to house electrical and electronic controls, instruments, and components. The SCE-ELJ provides protection from dust, dirt, oil and water. These consoles can be used indoors or outdoors and can be mounted on either of two sides to give a control surface inclined 30° or 60°. They can also be mounted on desks, machines, or pedestals. Finished in ANSI-61 gray powder coating inside and out, optional sub-panels are powder coated white.

Industry Standards–IS2

NEMA Type 4, 12 and 13
UL Listed Type 4 and 12
CSA Type 4 and 12
IEC 60529 IP 66

Enclosures

B - 0.06 (2) DOOR

0.69 (18)

AVAILABLE DOOR SPACE

0.63 (16)

1.25 (32)

B - 0.88 (22) OPENING

A - 0.88 (22) OPENING

A - 0.06 (2) DOOR

MINI 1/4 TURN LATCH

1.69 (43)

F - 1.25 (32)

B

Ø 0.25 [6] MOUNTING HOLES

D - 0.70 (18)

B - 2.56 (65)

A

A

A

A

30°

C

2.50 (64)

E - 1.49 (38)

D

Provisions for cable stops on door and body when "A"≥12.00 (305)
Latch Notes: One latch centered on door horizontally if "B"≤14.00 (356)
 Two latches located 3.00 (76) from right and left side of door
 if "B" > 14.00 (356)
Optional Sub-Panel Notes: Provisions only for sub-panel in bottom.

Ø = diameter   Dimensions: inch (mm)

To Order

MODEL NO.	SLOPE TOP HEIGHT A inch	WIDTH B inch	HEIGHT C inch	BASE DEPTH D inch	SUB-PANEL*	DEPTH E inch	WIDTH F inch
SCE-8C8ELJ	8	8	7.09	7.44	SCE-8P8C	6	6.75
SCE-8C12ELJ	8	12	7.09	7.44	SCE-8P12C	6	10.75
SCE-8C16ELJ	8	16	7.09	7.44	SCE-8P16C	6	14.75
SCE-8C20ELJ	8	20	7.09	7.44	SCE-8P20C	6	18.75
SCE-12C12ELJ	12	12	9.09	10.91	SCE-12P12C	9.5	10.75
SCE-12C16ELJ	12	16	9.09	10.91	SCE-12P16C	9.5	14.75
SCE-12C20ELJ	12	20	9.09	10.91	SCE-12P20C	9.5	18.75
SCE-12C24ELJ	12	24	9.09	10.91	SCE-12P24C	9.5	22.75
SCE-16C16ELJ	16	16	11.09	14.37	SCE-16P16C	12.88	14.75
SCE-16C20ELJ	16	20	11.09	14.37	SCE-16P20C	12.88	18.75
SCE-16C24ELJ	16	24	11.09	14.37	SCE-16P24C	12.88	22.75
SCE-20C20ELJ	20	20	13.09	17.83	SCE-20P20C	16.38	18.75
SCE-20C24ELJ	20	24	13.09	17.83	SCE-20P24C	16.38	22.75

Sub-panel sold separately.

ACCESSORIES

MODEL NO.	DESCRIPTION
SCE-CBL15	15" 135° door stop for SCE-12C and SCE-16C consolets
SCE-CBL20	20" 135° door stop for SCE-20C consolets
SCE-MINIQPL	Padlocking latch cover (quantity 1)

Ordering Examples: SCE-8C12ELJ, *operator control panel with sloped top front, 8 H x 12" W surface panel.*
SCE-16C20ELJ, *operator interface panel, 16 H x 20" W,* **SCE-16P20C,** *sub-panel, and* **SCE-CBL15,** *door stop - holding sloped top 135° open.*